## MATERIAL SAFETY DATA SHEET

[MSDS NO. AA7015B-000]

PRODUCT: Artline WRITING PEN

Artline Ergoline 3400 ERG-3400, ERG-3400AU , Artline Ergoline 3600 ERG-3600

( All colours

Issue Date 6 May,2011

Not classified as Hazardous according to criteria of Worksafe Australia

**COMPANY DETAILS** 

JAPAN:

**SUPPLIER NAME:** Shachihata Inc.

ADDRESS: 4-69,Amazuka-chou,Nishi-ku,Nagoya,451-0021,Japan

**TELEPHONE NUMBER:** ++81 52 521 3600 **FAX NUMBER:** ++81 52 521 3899

**AUSTRALIA:** 

**AGENT:** Pelikan Artline Pty Limited.

**ABN:** 51 084 958 556

**ADDRESS:** 2 Coronation Avenue, Kings Park,

Blacktown Business Centre, NSW 2148

**TELEPHONE NO:** 02-9674-0900 **FAX NO:** 02-9674-0910

**EMERGENCY PHONE NUMBER:** 02-9674-0900 or Mobile:0419-206-163

**IDENTIFICATION** 

Product Name: Artline WRITING PEN

Ship Name (CSN): non hazardous

Other Names:

UN No. :n/aD.G.CLASS :n/aPACK. GRP :n/aHAZCHEM :n/aSUB. RISK : No DataSUSDP : Not Scheduled

PRODUCT USE: Marking pen

PHYSICAL DATA (INK)

APPEARANCE AND ODOUR Liquid, None.

**BOILING POINT** 100 **MELTING POINT** n/a VAPOUR PRESSURE n/a  $60 \sim 80$ **VOLATILE (wt.%)** DENSITY(g/cm3)  $1.0 \sim 1.1$ FLASH POINT 100℃ < FLAMMABILITY LIMITS no data **REL. VAPOUR DENSITY** no data

**INGREDIENTS (INK)** 

| CHEMICAL OR COMMON NAME(S) | CAS NO.   | INGREDIENTS(wt.%) |
|----------------------------|-----------|-------------------|
| Water                      | 7732-18-5 | 50~70             |
| 1,2-Ethanediol             | 107-21-1  | 5~15              |
| Glycol solvent             | _         | 10~20             |
| Dye Staff                  | _         | <u>5~15</u>       |
|                            |           | 100               |

# **HEALTH HAZARD INFORMATION HEALTH EFFECTS ACUTE EFFECTS SWALLOWED**: Not applicable EYE: No data available SKIN: Mildly toxic by skin contact. **INHALED:** Not applicable **CHRONIC EFFECTS:** A suspected carcinogen. FIRST AID **SWALLOWED:** Not applicable **EYE CONTACT:** Immediately flush with plenty of water. Seek medical advice immediately. SKIN CONTACT: Wipe off with dry cloth and wash with mild soap. Seek medical advice immediately. **INHALATION:** Not applicable FIRST AID FACILITIES: No Data ADVICE TO DOCTOR Treat symptomatically. **ACUTE TOXICITY** (RTECS): [ 1,2-Ethanediol ] Oral 4,700mg/Kg LD<sub>50</sub> (rat) PRECAUTIONS FOR USE **EXPOSURE CONTROL PARAMETERS:** [ 1,2-Ethanediol ] C 50ppm( C 127mg/m<sup>3</sup>) ACGIH TLV (1990-91) TWA (Vaper and mist) **ENGINEERING CONTROLS:**

Not required.

Keep tightly capped.

## PERSONAL PROTECTION

Not required.

Avoid skin and eye contact.

Remove any naked lights or strong heat sources.

## **FLAMMABILITY**

Not applicable

## **ENVIRONMENT:**

Not applicable

#### **OTHER PRECAUTIONS:**

Not applicable

## SAFE HANDLING INFORMATION

## STORAGE AND TRANSPORT

Store in a cool, dry location.

Keep tightly capped.

#### SPILLS AND DISPOSAL:

Disposal as usual industrial waste goods, follow all regulations in your country.

#### FIRE/EXPLOSIUON HAZARD

Extinguish fire with the following:

Use water fog.

## OTHER SAFE HANDLING INFORMATION

#### OTHER INFORMATION

Risk Statement: n/a

Safety statement: Not applicable

**REFERENCES:** 

N.IRVING Sax and RICHARD J. LEWIS,SR, "Dangerous Properties of industrial Materials Seventh Esition", Van Nostrand Reinhold (1989). REGISTRY OF TOXIC EFFECTS IF CHEMICAL SUBSTANCES 1985-86 Edition

Contact Point: Mr. C Watt, Product Manager, Phone(02-9674-0900) Fax(02-9674-0910)

#### **IMPORTANT ADVICE:**

This MSDS summarizes our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace.

Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including its use in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact the supplier. Our responsibility for products sold is subject to our standard terms and conditions.