

Declaration of conformity

Version nr 01,12.09.2023

1. Name and address of operator of the market who issues declaration of conformity:

Guillin Polska Sp. z o.o. 56-400 Oleśnica ul. Przemysłowa 3

2. Name and address of operator of the market who produces or imports materials or plastic products; products coming from intermediate processes of production; substances used to production of those materials and products:

Guillin Polska Sp. z o.o. 64-320 Niepruszewo ul. Jodłowa 2

3. Reference of materials, products coming from intermediate processes of production or substances used to production of those materials and products.

Salad containers made of paper with PE covered – fat resist

Applies to the family:

POKEPACK CARTON

4. Date of declaration

06-12-2023

- 5. Confirmation that plastic materials or products, products derived from intermediate stages of their production or substances meet the relevant legal requirements:
- ➤ Regulation (EC) No 1935/2004 of the European Parliament and of the Council of 27 October 2004. On materials and articles intended to come into contact with food and repealing Directives 80/590/EEC and 89/109/EEC. Including Articles 3, 11(5), 15 and 17.
- Regulation (EC) No 2023/2006 of 22 December 2006 on good manufacturing practice for materials and articles intended to come into contact with food.
- ➤ BFR Recommendations: Recommendation XXXVI Paper and board for food contact,



GUILLIN POLSKA Sp. z o.o. - ul. Przemysłowa 3 - 56-400 Oleśnica - Polska





- ➤ BfR, Recommendation (III) Polyethylene,
- Commission Regulation (EC) No 10/2011 of 14 January 2011 on plastic materials and articles intended to come into contact with food, as amended,
- ➤ Commission Regulation (EU) 2023/1442 of 11 July 2023 amending Annex I to Regulation (EU) No 10/2011 on plastic materials and articles intended to come into contact with food as regards modifications of the authorisation of substances and the introduction of new substances.
- > Council of Europe Resolution ResAP (2002) on materials and articles of paper and board intended to come into contact with food,
- > European Parliament and Council Directive 94/62/EC of 20 December 1994 on packaging and packaging waste,
- Annex 10 of the Swiss Ordinance of the FDHA on materials and articles intended to come into contact with foodstuffs of 23 November 2005 (RS 817.023.21).
- ➤ Regulation (EC) No 1907/2006 of The European Parliament and of The Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC (annex XVII).
- 6. Adequate information on the substances used and their degradation products, for which restrictions or requirements are specified in Annex I and II of this Regulation to allow business operators to the downstream ensuring compliance with these restrictions:

Products to which is referring this declaration, are meeting **global migration limits** according to Regulation 10/2011, in following testing conditions, and are compliant with test results.

Food simulant	Contact conditions	Migration criterias (mg/dm²)
95% ethanol	4 hours at 60°C	≤ 10
3% acetic acid	2 hours at 70°C	≤ 10
10% ethanol	2 hours at 70°C	≤ 10

Based on our safety assessment of the raw material and its potential impurities, reaction- and degradation products (non-intentionally added substances - NIAS) using compositional information provided to us by raw material supplier, and provided that good manufacturing practice (GMP) is applied during processing of raw material, we can confirm that the coating of raw material is in compliance with the relevant requirements of the Regulation (EC) 1935/2004





GUILLIN POLSKA Sp. z o.o. - ul. Przemysłowa 3 - 56-400 Oleśnica - Polska Tel. +48 71 399 21 11 - office@guillinpolska.pl - www.guillinpolska.pl



Products to which is referring this declaration, are meeting **global migration (OM5) limits** according to Regulation 10/2011, in following testing conditions, and are compliant with test results.

Test Method	Food simulant	Test conditions	Unit	Result
* Overall migration - food simulant A ^{1) 2) 4)} PN-EN 1186-1:2005	10% EtOH	2h / 100°C	mg/dm²	< 0,5 (0,5 ± 0,5) (< 0,5; < 0,5; < 0,5)
* Overall migration - food simulant B ^{1) 2) 4)} PN-EN 1186-1:2005	3% AA	2h / 100°C	mg/dm²	< 0,5 (0,5 ± 0,5) (< 0,5; < 0,5; < 0,5)
* Overall migration - substitute food simulant D2i ^{1) 2) 4)} PN-EN 1186-1:2005	isooctane	1,5 h/ 60°C	mg/dm²	< 0,5 (0,5 ± 0,5) (< 0,5; < 0,5; < 0,5)
* Overall migration - substitute food simulant D2e ^{1) 2)} PN-EN 1186-1:2005	95% EtOH	2 d/ 60°C	mg/dm²	1,5 (1,5; 1,5; 1,5)

7. Per)fluorinated organic surfactants, which include perfluorooctane sulfonate (PFOS) and perfluorooctanoic acid (PFOA) and substances dual use.

Products belonging to the POKEPACK CARTON family do not contain PFOS and PFOA compounds.

The substances used in the plastic coating do not contain any dual use additives.

8. Requirements to use of material or product:

- (i) The paper articles are intended to come into contact with all types of food
- (ii) The service temperature range for the paper articles is 5°C to + 90°C. Can be used as packaging for food storage at room temperature or below including contact with food up to 100°C for no more than 2 hours. The bowls can be used as packaging for storing food at room temperature and higher or lower according to individually verified refrigeration conditions, excluding freezing.
- (iii) Contact area/volume of simulant: 6 dm2: 1 kg food
- (iv) Storage conditions: the warehouse should be kept clean, ventilated with relative humidity between 50% and 80% to prevent damage to the finished product.

 The finished product must be stored 15 cm from the floor, 15 cm from the wall and 50 cm from the top (roof).
- (v) Recommended storage temperature 10°C to + 50°C
- (vi) Recommended maximum heating time of 8 minutes with a microwave of 850 watt maximum.





9. If a multi-layer material or article functional barrier is used - confirmation that the material or article complies with the requirements of Art. 13 paragraph. 2, 3 and 4 or art. 14 paragraph. 2 and 3 of this Regulation:

Not app	licable.
---------	----------

The declaration was issued on the basis of test results and based on the declarations of producers of raw materials and other materials used for production.

According to Article 15 Section. 3 Commission Regulation (EC) No 10/2011 " The written declaration shall permit an easy identification of the materials, articles or products from intermediate stages of manufacture or substances for which it is issued. It shall be renewed when substantial changes in the composition or production occur that bring about changes in the migration from the materials or articles or when new scientific data becomes available."

The company Guillin Polska Sp. o.o. as a business operator, producing products for food contact and issuing the declaration, undertakes to immediately release a new version of the declaration if such facts will take place.

	Name	Function	Date	Signature
Author	Kinga Krystek	Quality management representative	2023-12-06	Jup

